PAGE 1 OF Form Approved ORDER FOR SUPPLIES OR SERVICES OMB No. 0704-0187 6 Expires Jun 30, 1997 (Contractor must submit four copies of invoice.) Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0187), Washington, DC 20503. PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND YOUR COMPLETED FORM TO THE PROCUREMENT OFFICIAL IDENTIFIED IN ITEM 6. 4. REQUISITION/PURCH REQUEST NO. 5. PRIORITY 3. DATE OF ORDER (YYMMMDD) 1. CONTRACT/PURCH ORDER NO. 2. DELIVERY ORDER NO YPC04078000355 SP0500-02-D-0128 0038 2004 MAR 24 DOA5 7. ADMINISTERED BY (If other than 6) CODE CODE 6. ISSUED BY SP0700 SC0700 8 DELIVERY FOR DEFENSE SUPPLY CENTER COLUM DSCC-LXCBU PH 614-692-1263 BOX 16704 (TRANS 614-692-2175) **Defense Supply Center Columbus** 3990 E.Broad St. P.O. Box 16704 IX I DEST Columbus,OH 43216-5010 COLUMBUS OH 43216-5010 OTHER Local Administrator: PLLXCBU (614)692-1263 / FAX: (614)693-1620 E-mail: Charlene.Nesbitt@dla.mil CRITICALITY: C (See Schedule if other) FACILITY CODE 1. MARK IF BUSINESS 9 CONTRACTOR 10. DELIVER TO FOB POINT BY(Date) 046U2 210 DAYS ADO SMALL 12. DISCOUNT TERMS SMALL DISAD-VANTAGED TAILORED LOGISTICS CORP NAME AND ADDRESS 702 INCENTIVE DRIVE FORT WAYNE IN 46825-3274 NET 30 days WOMEN-OWNED 13. MAIL INVOICES TO See Block 15 14. SHIP TO 15. PAYMENT WILL BE MADE BY S33181 CODE CODE MARK ALL S33181 DFAS COLUMBUS CENTER See Schedule - Do Not Ship to Address in Block 6 PACKAGES AND ATTN DFAS CO BVDPCC/CC CONSTRUCTION 3990 E BROAD ST PO BOX 182317 PAPERS WITH CONTRACT OR COLUMBUS OH 43218-6203 ORDER NUMBER EFT: T This delivery order is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract. DELIVERY X offer dated 2004 MAR 22, BASIC SP0500-02-D-0128 and furnish the following on terms specified herein. OF ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME. PURCHASE ORDEF DATE SIGNED NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE (YYMMMDD) If this box is marked, supplier must sign Acceptance and return the following number of copies: 17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE CG: 97X4930 5CC0 001 26.0 S33150 18. ITEM NO. QUANTITY ORDERED/ ACCEPTED* 19. 21. UNIT LINIT PRICE AMOUNT SCHEDULE OF SUPPLIES/SERVICE Remarks: CONFIRMING ORDER -- DO NOT DUPLICATE ACCELERATED DELIVERY IS ACCEPTABLE AND DESIRED AT NO COST TO THE GOVERNMENT. TOTAL: 100

37.RECEIVED AT | 38. RECEIVED BY (Print) DD FORM 1155, JUN 94 (EG)

DATE

36. I certify this account is correct and proper for payment.

If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.

26. QUANTITY IN COLUMN 20 HAS BEEN

PREVIOUS EDITION MAY BE USED.

Cling Collic Proper

PARTIAL

FINAL

COMPLETE

FINAL 40 TOTAL CONTAINERS

24 UNITED STATES OF AMERICA

39. DATE RECEIVED (YYMMMDD)

ACCEPTED, AND CONFORM CONTRACT EXCEPT AS NO

SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

SIGNATURE AND TITLE OF CERTIFYING OFFICER

Designed using Perform Pro, WHS/DIOR, Jun 94

63859.00

\$

33. AMOUNT VERIFIED CORRECT FOR

25. TOTAL 29

DIFFERENCE

34. CHECK NUMBER

35. BILL OF LADING NO

42 S/R VOUCHER NO.

30.

CONTRACTING/ORDERING

28. D.O. VOUCHER NO.

41. S/R ACCOUNT NUMBER

SECTION B

PR YPC04078000355 NSN 1005-01-481-6113

ITEM DESCRIPTION:

PARTS KIT, SEAL REPL 046U2 TAILORED LOGISTICS CORP

NO ASBESTOS AS DEFINED IN FED-STD-313 IS PERMITTED IN THIS ITEM

KIT QUALITY PROVISION

- 1. THIS REQUIREMENT APPLIES TO MATERIAL SUPPLIED TO THE GOVERNMENT AS A KIT.
- 2. THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE QUALIFIED PRODUCTS LIST (QPL) REQUIREMENTS FOR THE KIT COMPONENTS BEING SUPPLIED.
- 3. THE CONTRACTOR SHALL INCORPORATE A SYSTEM FOR OBTAINING, HANDLING AND SUPPLYING ORIGINAL EQUIPMENT MANUFACTURER (OEM) CERTIFIED PARTS INTO ALL CONTRACTUAL DOCUMENTS ENTERED INTO WITH ITS VENDORS.
- 4. THE CONTRACTOR SHALL IMPLEMENT AN INSPECTION SYSTEM, WHICH WILL INCLUDE INSPECTION OF ALL PARTS UPON RECEIPT TO ENSURE CONFORMANCE WITH REQUIREMENTS AND TO ENSURE THAT THEY ARE NOT DAMAGED.
- 5. THE CONTRACTOR SHALL MAINTAIN A SYSTEM OR PROCESS THAT WILL ENSURE TRACEABILITY OF ALL PARTS, THROUGH AN UNBROKEN SUPPLY CHAIN, TO THE MANUFACTURER.
- 6. THE CONTRACTOR'S INSPECTION SYSTEM AND PROCEDURE FOR ENSURING PARTS TRACEABILITY SHALL BE AVAILABLE FOR REVIEW BY THE GOVERNMENT AT THE REQUEST OF THE CONTRACTING OFFICER.
- 7. THE CONTRACTOR SHALL FURNISH ONLY THOSE PARTS THAT ARE KNOWN TO BE ACCEPTABLE TO THE GOVERNMENT, I.E. SOLE SOURCE PARTS, APPROVED SOURCE PARTS, ACCEPTABLE SOURCE PARTS, AS REFLECTED IN THE GOVERNMENT'S CONTRACT TECHNICAL DATA FILE (CTDF).
- 8. UNLESS OTHERWISE APPROVED IN ADVANCE BY THE CONTRACTING OFFICER, THE CONTRACTOR SHALL SUPPLY ONLY NEW AND UNUSED PARTS THAT ARE NOT GOVERNMENT SURPLUS PARTS.

"CLASS I OZONE DEPLETING CHEMICALS ARE NOT TO BE USED NOR INCORPORATED IN ANY ITEMS TO BE

CONTINUED ON NEXT PAGE

CONTINUATION SHEET SP0500-02-D-0128-0038 PAGE OF PAGES 3 6

SECTION B

DELIVERED UNDER THIS CONTRACT. THIS PROHIBITION SUPERSEDES ALL SPECIFICATION REQUIREMENTS BUT DOES NOT ALLEVIATE ANY PRODUCT REQUIREMENTS. SUBSTITUTE CHEMICALS MUST BE SUBMITTED FOR APPROVAL UNLESS THEY ARE AUTHORIZED BY THE SPECIFICATION REQUIREMENTS."

I/A/W DRAWING NR 046U2 TLCNVX391 REV B BASIC DTD 02 JUL 02 AMEND NR DTD TYPE NUMBER:

ITEM PR

PRLI QUANTITY UNIT UNIT PRICE

EMOUNT

0001

YPC04078000355 0001

75 KT \$638.59000

\$47894.25

QTY VARIANCE: PLUS 0%

MINUS 0%

INSPECTION POINT: DEST ACCEPTANCE POINT: DEST

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = ZZ: CLNG/DRY = 1: PRESV MAT = 00:

WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNESS = X:

UNIT CONT = XX: OPI = M:

INTRMDTE CONT = ZZ: INTRMDTE CONT QTY = ZZZ:

PACK CODE = Z: PACKING LEVEL = B:

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129

SPECIAL MARKING CODE: ZZ - SPECIAL REQUIREMENTS

SUPPLEMENTAL INSTRUCTIONS

PACKAGING AND MARKING REQUIREMENTS FOR KITS

CODE Z-PACKING AND MARKING SHALL BE AS FOLLOWS FOR KITS:

QUANTITIES OF THE SAME PART WITHIN A KIT SHALL BE PACKAGED AND LABELED.

EACH LABEL ON THE ABOVE PACKAGED ITEMS SHALL CONTAIN THE FOLLOWING INFORMATION:

DESCRIPTION, CAGE AND PART NUMBER, QUANTITY,

MARK SHELF-LIFE ITEMS IAW SAE ARP5316 OR MIL-HDBK-695.

PLACE CONTENTS OF KIT IN ONE (1) BOX - BOX MUST BE SUFFICIENT TO PREVENT DAMAGE TO CONTENTS OF KIT (MULTI-BOX IF NECESSARY). LISTING OF KIT CONTENTS INSIDE BOX (KIT P/N, NSN, DESCRIPTION, REVISION LEVEL, AND DATE + EACH INDIVIDUAL PART NUMBER, NSN (IF

CONTINUED ON NEXT PAGE

AND MONTH/YEAR PACKAGED.

SP0500-02-D-0128-0038

SECTION B

ASSIGNED ONE), CAGE, DESCRIPTION, AND QUANTITY). CUSHIONING OF MATERIAL AS NECESSARY TO PREVENT DAMAGE TO CONTENTS. BOX SHALL BE LABELED. BARCODED WITH THE FOLLOWING INFORMATION: KIT NSN, KIT P/N, CONTRACT NUMBER, MONTH/YEAR PACKAGED, AND CURE DATE OF ITEM WITH THE LEAST SHELF LIFE REMAINING (IF APPLICABLE) (E.G. 2Q/99=2ND QUARTER 1999).

THE ABOVE MARKING SHALL BE USED ILO THE MARKING SPECIFIED IN MIL-STD-129P.

For all shipments of packaged materiel to the government, which includes either depot (DLAdirect) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002, as amended by Change Notice 1, dated January 15, 2004. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2004 OCT 20

PARCEL POST ADDRESS:

SW3117 DEF DIST DEPOT NORFOLK VA RECEIVING OFFICER DDNV PR 1968 GILBERT ST BLDG W143 DWY 9 VA 23512-0001 NORFOLK

CONTINUED ON NEXT PAGE

PAGE OF PAGES Order Number: CONTINUATION SHEET SP0500-02-D-0128-0038 SECTION B FREIGHT SHIPPING ADDRESS: SW3117 DEF DIST DEPOT NORFOLK VA RECEIVING OFFICER DDNV PR 1968 GILBERT ST BLDG 135 DWY 10 NORFOLK VA 23512-0001 NON-MILSTRIP PROJ PRLI QUANTITY UNIT UNIT PRICE AMOUNT <u>ITEM</u> <u>PR</u> \$15964.75 0002 YPC04078000355 0002 25 KT \$638.59000 QTY VARIANCE: PLUS 0% MINUS 0% INSPECTION POINT: DEST ACCEPTANCE POINT: DEST PREP FOR DELIVERY PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999 MIL-STD-2073 PACKAGING DATA SAME AS PRIOR LINE DELIVER FOB: DESTINATION BY: 2004 OCT 20 PARCEL POST/FREIGHT ADDRESS: SW3122 DEF DIST DEPOT JACKSONVILLE BLDG 175 SWAN ROAD NAS JACKSONVILLE FL 32212-0103 NON-MILSTRIP PROJ CONTINUED ON NEXT PAGE

~~~		CHERT	Order Number:		PAGE OF PAGES
	ONTINUATION	SUEET	SP0500-02-D-012	8-0038	6 6
			SECTION B		
	DIMTE DAMENT	у шо.			
	REMIT PAYMENT	10:			
*	· * * * * * * *	* * * * * * * * 1		* * * * * * *	* * * * * * * *
		•			
					•
		·			
		•			
		. ~			

# PALLETIZATION NO. DC1636P001

- 1. SCOPE. This sheet covers the requirements for palletization of DSCC items or supply for handling, shipment, and storage.
- 2. REFERENCED DOCUMENTS. The following documents, of the issue in effect on the date of solicitation, form a part of this palletization sheet to the extent specified herein:

Specifications

### **FEDERAL**

NN-P-71 Pallets, Material Handling, Wood Stringer Construction, 2-way and 4-way (Partial)

Standards

### **MILITARY**

### MIL-STD-147 Palletized Unit Load

(Copies of listed federal and military specifications, standards, and associated documents listed in the Department of Defense Index of Specifications and Standards (DODISS) should be obtained from DoD Single Stock Point, Commanding Officer, Naval Publications and Forms (Center, 5801 Tabor Ave., Philadelphia, PA 19120-5099).

## 3. REQUIREMENTS.

Shipments of identical items packed in four or more shipping containers exceeding a total of 48 cubic feet per destination shall be palletized except when shipping containers are required to be skidded (see 3c) or a quantity of four shipping containers pallet exceeds the size or weight limitations for palletized loads (see 3a and 3b, as applicable). Shipments packed Level A or Level B shall be palletized in accordance with 3b.

- a. Material may be palletized on commercial pallets provided the load meets the following requirements:
- (1) The load does not exceed 52 inches in length or width, 54 inches in height, and 3,000 pounds.
- (2) The load is prepared and secured in a manner that will ensure carrier acceptance and permit safe rehandling at destination.
- b. Palletization shall comply with MIL-STD-147 and appendices there to modified as follows:
- (1) Loads shall be stable and shall not exceed the size and overseas limitations of MIL-STD-147.
- (2) Glued loads shall not be used.
- (3) For Level A packing, pallets shall comply with NN-P-71, Type V, class 1, size 2, except softwood may be used and the size may be reduced to a minimum of 36 inches in length and 44 inches in width to properly fit the load.
- (4) For Level B packing, pallets shall conform to NN-P-71, Type II, size 2, Type IV, or Type V, class 1, size 2. Wood used to construct pallets shall be group II, III, or IV, grade A, as specified in NN-P-71.
- (5) Residual quantities of less than the quantity required for one course of the load need not be palletized.
- c. Palletization is not required for shipping containers that are constructed with skids. Shipping containers, except drums, exceeding 70 pounds gross weight or 40 inches in length, shall be constructed with skids. Skids shall be a minimum of 3x4 inch (nominal) lumber and shall be securely attached to permit multiple re-handling at destination. Drums shall be palletized.

Prepared by: DSCC Columbus, OH 43216-5000 June 3, 1996